

FIGURE 1




FIGURE 2






FIGURE 3



- | | | |
|----|------------------------------------|------------------|
| 1 | control | mev = mevalonate |
| 2 | mev 1 mM | stat - statin |
| 3 | stat 20 μ M | tam = tamoxifen |
| 4 | stat 20 μ M + mev 1 mM | |
| 5 | stat 5 μ M + mev 1 mM | |
| 6 | statin 5 μ M | |
| 7 | tam 0.5 μ M | |
| 8 | tam 0.5 μ M + estradiol 100 nM | |
| 9 | tamoxifen 0.5 μ M + mev 1 mM | |
| 10 | PBPE 5 μ M | |
| 11 | PBPE 5 μ M + estradiol 100 nM | |
| 12 | PBPE 5 μ M + mev 1 mM | |
| 13 | anti-steroidal 1 μ M | |
| 14 | anti-steroidal 10 μ M | |
| 15 | anti-steroidal 50 μ M | |

FIGURE 4



Histogram of the activity (dose response) of a biphosphonate and of tamoxifen

- 1 control clone with transient 4G-CVLS
- 2 + biphosphonate 0.1 μM
- 3 + biphosphonate 0.5 μM
- 4 + biphosphonate 1 μM
- 5 + biphosphonate 5 μM
- 6 + biphosphonate 10 μM
- 7 + biphosphonate 1 μM + mevalonate (mevalolactone) 50 μM
- 8 + biphosphonate 1 μM + mevalonate (mevalolactone) 250 μM
- 9 + biphosphonate 5 μM
- 10 + biphosphonate 1 μM + farnesol 5 μM
- 11 + biphosphonate 1 μM + farnesol 10 μM
- 12 + tamoxifen 0.01 μM
- 13 + tamoxifen 0.05 μM
- 14 + tamoxifen 0.1 μM
- 15 + tamoxifen 0.5 μM
- 16 + tamoxifen 1 μM

FIGURE 5




FIGURE 6




FIGURE 7

